Telefax: +49-2154-947947



Safety Data Sheet

according to Regulation (EC) No 1907/2006

MultiEx VR-18

Revision date: 11.04.2017 Product code: 090655 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MultiEx VR-18

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Electronics cleaner for spray and immersion plants

1.3. Details of the supplier of the safety data sheet

Company name: kolb Cleaning Technology GmbH

Street: Karl-Arnold-Str. 12
Place: D-47877 Willich
Telephone: +49-2154-947938

e-mail: info@kolb-ct.com

Contact person: Herr Linker Telephone: +49-2324-97980

e-mail: christian.linker@kolb-ct.com

Internet: www.kolb-ct.com
Responsible Department: Labor/ QS

 1.4. Emergency telephone
 +49/ (0) 23 24/ 988 12 85 (EU)

 number:
 +61 4 19 809 805 (Australia)

 +1 970 443 9233 (USA)

Further Information

Australia: USA:

 kolb Cleaning Technology AP PTY LTD
 kolb USA LLC

 6/150 Canterbury Road
 410 Sunset, Unit C

 NSW 2200 Bankstown
 80501 Longmont – CO

 Phone: +61 2 97900273
 Phone 001- 970-532-5100

 Mobile: +61 4 19 809 805
 Mobile: 001- 970-443-9233

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes serious eye irritation. Causes skin irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

1-aminopropan-2-ol, isopropanolamine

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

H315 Causes skin irritation.



according to Regulation (EC) No 1907/2006

MultiEx VR-18

Revision date: 11.04.2017 Product code: 090655 Page 2 of 8

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P363 Wash contaminated clothing before reuse.

P337+P313 If eye irritation persists: Get medical advice/attention. P332+P313 If skin irritation occurs: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Cleaner for the electronics industry on the basis of (EG 648/2004 VO detergents): polyhydric alcohols, glycols, Alkyle propylene glycole, alkalis

Hazardous components

CAS No	Chemical name						
	EC No	Index No	REACH No				
	Classification according to	Classification according to Regulation (EC) No. 1272/2008 [CLP]					
78-96-6	1-aminopropan-2-ol, isopropanolamine						
	201-162-7	603-082-00-1					
	Skin Corr. 1B; H314						
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether						
	203-961-6	603-096-00-8					
	Eye Irrit. 2; H319						
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem						
	252-104-2						
		•	•				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.



according to Regulation (EC) No 1907/2006

MultiEx VR-18

Revision date: 11.04.2017 Product code: 090655 Page 3 of 8

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Advice on storage compatibility

No special measures are necessary.

7.3. Specific end use(s)

Electronics cleaner for spray and immersion plants

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

MultiEx VR-18

Revision date: 11.04.2017 Product code: 090655 Page 4 of 8

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL

8.2. Exposure controls

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Wear eye protection/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: transparent
Odour: specific

Test method

pH-Value (at 20 °C): 11,2 @ 50g/ 1 | Water

Changes in the physical state

Melting point: $-5\,^{\circ}\text{C}$ Initial boiling point and boiling range: $100\,^{\circ}\text{C}$ Flash point: [see also 9.2] $^{\circ}\text{C}$

Flammability

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

Auto-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined



according to Regulation (EC) No 1907/2006

MultiEx VR-18

Revision date: 11.04.2017 Product code: 090655 Page 5 of 8

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density (at 20 °C): 0,996 g/cm³ ASTM D 1298

Water solubility: full soluble in water.

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / kinematic: 23 mm²/s DIN 51562

(at 20 °C)

Vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

not subject to the requirements of § 4 of the Hazardous Substances Ordinance (GefStoffV)

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

MultiEx VR-18

Revision date: 11.04.2017 Product code: 090655 Page 6 of 8

Acute toxicity

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
78-96-6	1-aminopropan-2-ol, isopropanolamine							
	oral	LD50 mg/kg	2700	Rat				
	dermal	LD50 mg/kg	1600	Rabbit				
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether							
	oral	LD50 mg/kg	5660	Rat				
	dermal	LD50 mg/kg	4120	Rabbit				
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem							
	oral	LD50 mg/kg	5130	Ratte				
	dermal	LD50 14000 mg	13000- /kg	Kanincheb				

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name	chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
78-96-6	1-aminopropan-2-ol, isopropanolamine							
	Acute fish toxicity	LC50 460 mg/l	220 -	96 h	Leuciscus idus	IUCLID		
	Acute algae toxicity	ErC50	23 mg/l	72 h	Desmodesmus subspicatus	IUCLID		
	Acute crustacea toxicity	EC50 mg/l	108,8	48 h	Daphnia	IUCLID		
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether							
	Acute algae toxicity	ErC50 mg/l	> 100		Scenedesmus sp.			
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna			
34590-94-8	34590-94-8 Dipropylene glycol monomethyl ether, Isomerengem							
	Acute fish toxicity	LC50 mg/l	>10000	96 h	Pimephales promelas (Amerikan. Elritze)			
	Acute algae toxicity	ErC50 mg/l	>969	96 h	Alge			
	Acute crustacea toxicity	EC50 mg/l	1919	48 h	Daphnia magna (Wasserfloh)			
	Crustacea toxicity	NOEC	12 mg/l		Daphnia magna (Wasserfloh)			

12.2. Persistence and degradability

The product has not been tested.



according to Regulation (EC) No 1907/2006

MultiEx VR-18

Revision date: 11.04.2017 Product code: 090655 Page 7 of 8

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem						
	OECD 301E	>70%	28				
	biologisch abbaubar						

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
78-96-6	1-aminopropan-2-ol, isopropanolamine	-0,96
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	0,56 (25°C)
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem	-0,6

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information


15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 55: 2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether

2010/75/EU (VOC): 9,5 % (94,62 g/l)





according to Regulation (EC) No 1907/2006

MultiEx VR-18

Revision date: 11.04.2017 Product code: 090655 Page 8 of 8

2004/42/EC (VOC): 18,5 % (184,26 g/l)

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H314 Causes severe skin burns and eve damage.

H315 Causes skin irritation. H319

Causes serious eve irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)