



according to Regulation (EC) No 1907/2006

# **MultiEx VR-SP CN**

Revision date: 29.11.2018

Product code: 090678-CN

Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

MultiEx VR-SP CN

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Electronics cleaner for spray and immersion plants

## 1.3. Details of the supplier of the safety data sheet

49-2154-947947
49-2324-97980

Phone 001- 970-532-5100

Mobile: 001- 970-443-9233

#### **SECTION 2: Hazards identification**

Phone: +61 2 97900273

Mobile +61 4 19 809 805

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories: Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Hazard Statements: Causes serious eye irritation. Causes skin irritation.

## 2.2. Label elements

# Regulation (EC) No. 1272/2008

Hazard components for labelling 1-aminopropan-2-ol; isopropanolamine Warning

Signal word:

**Pictograms:** 



#### Hazard statements H319

Causes serious eye irritation.



according to Regulation (EC) No 1907/2006

# MultiEx VR-SP CN Product code: 090678-CN

Revision date: 29.11.2018

Page 2 of 9

H315

Causes skin irritation.

#### Precautionary statements

oouullonuly olulonion	
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P390	Absorb spillage to prevent material damage.
P337+P313	If eye irritation persists: Get medical advice/attention.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## Additional advice on labelling

UFI: 0U20-V0JF-000A-NSDU

#### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Cleaner for the electronics industry on the basis of (EG 648/2004 VO detergents): polyhydric alcohols, glycols, Alkyle propylene glycole, alkalis, pH regulators

Sum formula:

MultiEx VR-SP CN

# Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification				
78-96-6	1-aminopropan-2-ol; isopropanola	amine		9-< 10 %	
	201-162-7	603-082-00-1			
	Skin Corr. 1B; H314				
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether				
	203-961-6	603-096-00-8			
	Eye Irrit. 2; H319				
34590-94-8	Dipropylene glycol monomethyl e	ther, Isomerengem		5-15 %	
	252-104-2		01-2119450011-60		
		-			

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

#### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an



according to Regulation (EC) No 1907/2006

# MultiEx VR-SP CN

Revision date: 29.11.2018

Product code: 090678-CN

Page 3 of 9

ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

Strong water jet

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

#### 7.3. Specific end use(s)



according to Regulation (EC) No 1907/2006

# **MultiEx VR-SP CN**

Revision date: 29.11.2018

Product code: 090678-CN

Page 4 of 9

Electronics cleaner for spray and immersion plants

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL

#### 8.2. Exposure controls

## Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Eye/face protection

Wear eye protection/face protection.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

wear hand gloves material: nitril or pvc, 0,5 µ, 4 h

#### Skin protection

Physical state

Wear suitable protective clothing.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

Liquid

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	transparent	
Odour:	specific	
		Test method
pH-Value (at 20 °C):	11,2 @ 50g/ 1 I Water	
Changes in the physical state		
Melting point:	-5 °C	
Initial boiling point and boiling range:	100 °C	
Flash point:	[see also 9.2 ] °C	
Flammability		
Solid:	not applicable	
Gas:	not applicable	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Auto-ignition temperature		



according to Regulation (EC) No 1907/2006

	MultiEx VR-SP CN			
Revision date: 29.11.2018	Product code: 090678-CN	Page 5 of 9		
Solid: Gas:	not applicable not applicable			
Decomposition temperature:	not determined			
Oxidizing properties Not oxidising.				
Vapour pressure:	not determined			
Density (at 20 °C):	0,996 g/cm³	ASTM D 1298		
Water solubility: (at 20 °C)	full soluble in water.			
Solubility in other solvents not determined				
Partition coefficient:	not determined			
Viscosity / kinematic: (at 20 °C)	23 mm²/s	DIN 51562		
Vapour density:	not determined			
Evaporation rate:	not determined			
9.2. Other information				
Solid content:	not determined			
not subject to the requirements of § 4 of the Hazardous Substances Ordinance (GefStoffV)				

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

none

## 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.



# according to Regulation (EC) No 1907/2006

# MultiEx VR-SP CN

Revision date: 29.11.2018

Product code: 090678-CN

Page 6 of 9

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
78-96-6	1-aminopropan-2-ol; isopropanolamine					
	oral	LD50 mg/kg	2700	Rat		
	dermal	LD50 mg/kg	1600	Rabbit		
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether					
	oral	LD50 mg/kg	5660	Rat		
	dermal	LD50 mg/kg	4120	Rabbit		
34590-94-8	Dipropylene glycol mo	Dipropylene glycol monomethyl ether, Isomerengem				
	oral	LD50 mg/kg	5130	Ratte		
	dermal	LD50 14000 m	13000- g/kg	Kanincheb		

## Irritation and corrosivity

Causes serious eye irritation. Causes skin irritation.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

# Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

# 12.1. Toxicity

The product is not: Ecotoxic.



# according to Regulation (EC) No 1907/2006

# MultiEx VR-SP CN

Revision date: 29.11.2018

Product code: 090678-CN

Page 7 of 9

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
78-96-6	1-aminopropan-2-ol; isopi	ropanolamin	е				
	Acute fish toxicity	LC50 460 mg/l	220 -	96 h	Leuciscus idus	IUCLID	
	Acute algae toxicity	ErC50	23 mg/l	72 h	Desmodesmus subspicatus	IUCLID	
	Acute crustacea toxicity	EC50 mg/l	108,8	48 h	Daphnia	IUCLID	
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether						
	Acute algae toxicity	ErC50 mg/l	> 100		Scenedesmus sp.		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna		
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem						
	Acute fish toxicity	LC50 mg/l	>10000	96 h	Pimephales promelas (Amerikan. Elritze)		
	Acute algae toxicity	ErC50 mg/l	>969	96 h	Alge		
	Acute crustacea toxicity	EC50 mg/l	1919		Daphnia magna (Wasserfloh)		
	Crustacea toxicity	NOEC	12 mg/l		Daphnia magna (Wasserfloh)		

## 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation	-		
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem			
	OECD 301E	>70%	28	
	biologisch abbaubar			

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
78-96-6	1-aminopropan-2-ol; isopropanolamine	-0,96
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	0,56 (25°C)
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem	-0,6

# 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The product has not been tested.

## 12.6. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**



according to Regulation (EC) No 1907/2006

# MultiEx VR-SP CN

Revision date: 29.11.2018

Product code: 090678-CN

Page 8 of 9

# 13.1. Waste treatment methods

# Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

#### **SECTION 14: Transport information**

Land transport (ADR/RID)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	no
<b>14.6. Special precautions for user</b> No information available.	
14.7. Transport in bulk according to Annex not applicable	II of Marpol and the IBC Code
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture
EU regulatory information	
Restrictions on use (REACH, annex XVII)	c · · · · · · · · · · · · · · · · · · ·
Entry 55: 2-(2-butoxyethoxy)ethanol;	diethylene glycol monobutyl ether
2010/75/EU (VOC):	9,5 % (94,62 g/l)

# Additional information



according to Regulation (EC) No 1907/2006

# MultiEx VR-SP CN

Revision date: 29.11.2018

Product code: 090678-CN

work protection guideline' (94/33/EC).

1 - slightly water contaminating

Observe restrictions to employment for juvenils according to the 'juvenile

Page 9 of 9

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

#### National regulatory information

Employment restrictions:

Water contaminating class (D):

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

## Relevant H and EUH statements (number and full text)

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

H319 Causes serious eye irritation.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)